

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

**TOLSON DRUG FOOD SNACK BAR**  
**226 E HIGH ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE  
 INSPECTION

Description

Description

Status

OBSERVED: Turbo Air counter top cooler running between 42 to 45 F; large deposit of ice present in back may be blocking air flow [defrost] NON-CRITICAL

**ARRIS PIZZA PALACE**  
**117 E HIGH ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE  
 INSPECTION

Description

Status

OBSERVED: ground beef tubes being thawed at room temperature. NON-CRITICAL  
 OBSERVED: dust present on ceiling tiles in kitchen. NON-CRITICAL  
 OBSERVED: light covers absent over lights in dish room and pizza prep area in kitchen. NON-CRITICAL

**BREAK TIME #3118**  
**326 ELLIS BLVD**  
**JEFFERSON CITY, MO 65101**

ROUTINE  
 INSPECTION

Description

Status

OBSERVED: boxes of coffee, filters, etc stored on floor under drink counter NON-CRITICAL  
 CORRECTED ON SITE: manager placed inverted soda flats under the boxes thereby raising the boxes off the floor before leaving the store  
 OBSERVED: floor mop sink is soiled with dark growth present in basin NON-CRITICAL  
 OBSERVED: men's and women's restroom hand sinks provide warm water around 75 F, not at required minimum of at least 100 F NON-CRITICAL

**CAFE VIA ROMA LLC**  
**105 W HIGH ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE  
 INSPECTION

Description

Status

OBSERVED: plastic cups, bakery/sandwich sheets and bagged coffee beans stored under hand sink or cooks sink drain line, in direct line of a possible leak NON-CRITICAL  
 OBSERVED: no thermometer present in outbuilding Kenmore combo cooler NON-CRITICAL  
 OBSERVED: bleach bottle used for wiping down equipment tested too strong, well over 200 ppm chlorine NON-CRITICAL  
 OBSERVED: outbuilding Delfield reach in cooler running at 43 F instead of below 41 F, set lower NON-CRITICAL  
 OBSERVED: employee states that dishes are stacked, washed and sanitized; a rinse between washing and sanitizing is required NON-CRITICAL

**CHINA WOK**  
**520 ELLIS BLVD L**  
**JEFFERSON CITY, MO 65101**

ROUTINE  
 INSPECTION

Description

Status

OBSERVED: unnecessary items/clutter present in kitchen area. NON-CRITICAL  
 OBSERVED: wiping cloths not stored in sanitizer when not in use. NON-CRITICAL  
 OBSERVED: restroom walls, sink area not clean. NON-CRITICAL  
 OBSERVED: walls by back hand sink not clean.

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

**DAS STEIN HAUS**  
**1436 SOUTHRIDGE DR**  
**JEFFERSON CITY, MO**

65109

Occurred

ROUTINE

02/26/16

INSPECTION

Description

Description

Status

OBSERVED: bottom interior of main bar Coke reach in cooler is soiled

NON-CRITICAL

**DOLLAR GENERAL STORE #1219**

**1414 MISSOURI BLVD**  
**JEFFERSON CITY, MO**

65109

Occurred

ROUTINE

02/01/16

INSPECTION

0

Description

Status

No Violations Cited

**SAPPHIRE'S**

**422 MONROE ST**  
**JEFFERSON CITY, MO**

65101

Occurred

ROUTINE

02/03/16

INSPECTION

0

Description

Status

No Violations Cited

**EVERYDAY CONVENIENCE STORE****910 FAIRGROUNDS RD****JEFFERSON CITY, MO**

65109

Occurred

ROUTINE

02/08/16

INSPECTION

Description

Status

OBSERVED: hot dogs found on roller grill below required 135 F

CRITICAL

OBSERVED: kitchen hand sink is marked out of order [leak present, sink does not drain either] and needs to be repaired

NON-CRITICAL

OBSERVED: walk in cooler fan covers are soiled with dust

NON-CRITICAL

OBSERVED: soda heads are soiled with deposits present

NON-CRITICAL

OBSERVED: counter cabinet doors are falling off hinges

NON-CRITICAL

OBSERVED: no thermometer present in black reach in cooler

NON-CRITICAL

[merchandiser]

OBSERVED: water line to soda dispensers is leaking into a pan

NON-CRITICAL

OBSERVED: garbage disposal leaks if any water is run into sink

NON-CRITICAL

OBSERVED: no food thermometer available to check hot food

NON-CRITICAL

temperatures, [metal stemmed, reading 0-220 F]

Description

Status

Occurred

FOLLOW-UP

02/19/16

INSPECTION

0

No Violations Cited

**J. C. EAGLE STOP****3505 MISSOURI BLVD****JEFFERSON CITY, MO**

65109

Occurred

ROUTINE

02/02/16

INSPECTION

Description

Status

OBSERVED: multiple bags of trash fallen behind trash dumpster, not removed weekly

NON-CRITICAL

OBSERVED: no lids present on trash dumpster

NON-CRITICAL

OBSERVED: Monster reach in cooler not maintaining temperature at 41 F or below

NON-CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
<b>JIMMY JOHNS</b> <b>128 E HIGH ST</b> <b>JEFFERSON CITY, MO 65101</b>	Occurred	Description	Status
ROUTINE INSPECTION	02/08/16	OBSERVED: Seals on the make cooler are torn.	NON-CRITICAL
<b>LONGHORN STEAKHOUSE OF JC #5219</b> <b>3545 MISSOURI BLVD</b> <b>JEFFERSON CITY, MO 65109</b>	Occurred	Description	Status
ROUTINE INSPECTION	02/09/16	OBSERVED: Seals on the Traulsen cooler were torn.	NON-CRITICAL
	Occurred	Description	Status
FOLLOW-UP INSPECTION 0	02/26/16	No Violations Cited	
<b>LUTZ' S FAMOUS BBQ</b> <b>3505 MISSOURI BLVD</b> <b>JEFFERSON CITY, MO 65109</b>	Occurred	Description	Status
ROUTINE INSPECTION	02/16/16	OBSERVED: coats being stored with single service items/food products on shelves.	NON-CRITICAL
<b>MOSERS DISCOUNT FOODS--GROCERY</b> <b>2411 MISSOURI BLVD</b> <b>JEFFERSON CITY, MO 65109</b>	Occurred	Description	Status
ROUTINE INSPECTION	02/16/16	OBSERVED: Loose noodles on the display shelf	NON-CRITICAL
		OBSERVED: Loose kernels of corn in the frozen reach in	
		OBSERVED: Floor in walk in cooler has spilt milk under the display rack.	NON-CRITICAL
		OBSERVED: Ramp into Walk In Freezer is in disrepair.	NON-CRITICAL
<b>NEW CHINA RESTAURANT</b> <b>905 EASTLAND DR STE D</b> <b>JEFFERSON CITY, MO 65101</b>	Occurred	Description	Status
FOLLOW-UP INSPECTION	02/08/16	OBSERVED: floor dirty under upright freezer in kitchen.	NON-CRITICAL
<b>PAPA JOHNS PIZZA USA, INC</b> <b>2103 MISSOURI BLVD</b> <b>JEFFERSON CITY, MO 65109</b>	Occurred	Description	Status
ROUTINE INSPECTION 0	02/24/16	No Violations Cited	

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

**PERKINS RESTAURANT & BAKERY**  
**1722 JEFFERSON ST**  
**JEFFERSON CITY, MO 65109**

ROUTINE  
 INSPECTION

Occurred  
 02/11/16

Description

Description	Status
OBSERVED: pot pie dishes soiled with food residues, knives on magnetic bar are soiled with food residues, top of oven soiled with food debris; retrain employees to check after washing	NON-CRITICAL
CORRECTED: pie pie dishes and pantry knives were removed to dishwasher for cleaning	
OBSERVED: styrofoam or paper cups used as multiple use food scoops in sugar, flour; not a durable nor washable utensil	NON-CRITICAL
OBSERVED: numerous leaks at mop sink fixture and hoses	NON-CRITICAL
OBSERVED: sanitizer dispenser on pot and pan sink appears to be pulling air into line along with sanitizer; find and repair leak	NON-CRITICAL
OBSERVED: back door from kitchen is warped, ill-fitting, and not tightly sealing unless monitored	NON-CRITICAL
OBSERVED: kitchen quarry floor tile broken, missing at back door	NON-CRITICAL
OBSERVED: corner guard on wall near ice machine is broken and wall panel loose, gaps	
OBSERVED: floor soiled under ice machine with utensils, trash, etc	NON-CRITICAL
OBSERVED: back kitchen [bakery] ceiling soiled with dust at vents, lights, corner by ice machine	
OBSERVED: excess ice build- up on ceiling, food packaging and shelving, and floor of walk in freezer	NON-CRITICAL

FOLLOW-UP  
 INSPECTION

Occurred  
 02/19/16

Description	Status
OBSERVED: the broken, missing kitchen quarry tile by the back door will be replaced after the back door repair/replacement has occurred	NON-CRITICAL
OBSERVED: corner guard on wall near ice machine has been repaired; wall panel appears tight, no obvious gaps [ok]	
OBSERVED: a work order and bid for repair on the back door is being obtained and reviewed by management	NON-CRITICAL
OBSERVED: Perkins management is working with a Heating/Cooling Contractor to address the excessive ice build- up in the walk in freezer	NON-CRITICAL

**PHILLIPS 66 MPC #47**  
**301 ELLIS BLVD**  
**JEFFERSON CITY, MO 65101**

ROUTINE  
 INSPECTION

Occurred  
 02/18/16

Description	Status
OBSERVED: possible mold, dark spots present on ice maker bin shatter plate	NON-CRITICAL
OBSERVED: chemicals [chlorox, soaps, Tide, detergents, etc] stored above picnic supplies [plates, cups, spoons, etc] on grocery aisle shelving	NON-CRITICAL
OBSERVED: unshielded light above ice maker and bagging area	NON-CRITICAL

**RB INTERNATIONAL FOOD STORE**  
**116 E DUNKLIN ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE  
 INSPECTION

Occurred  
 02/08/16

Description	Status
OBSERVED: food product (fish and cheese) packaging not properly labeled with contents.	NON-CRITICAL
OBSERVED: sink/walls in bathroom not clean.	NON-CRITICAL
OBSERVED: door tracks to Pepsi cooler not clean.	NON-CRITICAL
OBSERVED: no disposable paper towels present for hand drying in bathroom.	NON-CRITICAL
OBSERVED: no trash container for waste in bathroom.	NON-CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

**RED LOBSTER #733**  
**3519 COUNTRY CLUB DR**  
**JEFFERSON CITY, MO 65109**

ROUTINE Occurred  
 INSPECTION 02/16/16

Description

Description

Status

OBSERVED: Several seals were torn or in disrepair.

NON-CRITICAL

\*\*\* Manager stated seals were on site; just waiting on repairman to  
 place seals\*\*\*\*

**RUBY TUESDAY**  
**2300 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE Occurred  
 INSPECTION 02/09/16  
 0

Description

Status

No Violations Cited

**SAWADDEE**  
**103 E HIGH ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE Occurred  
 INSPECTION 02/12/16  
 0

Description

Status

No Violations Cited

**SOUTHWEST EAGLE STOP**  
**1913 SOUTHWEST BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE Occurred  
 INSPECTION 02/05/16  
 0

Description

Status

No Violations Cited

**SPECTATORS SPORTS BAR AND BILLIARDS**

**232 E HIGH ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE Occurred  
 INSPECTION 02/23/16

Description

Status

OBSERVED: RCA side by side cooler interior is soiled; Victory dress table interior is soiled

NON-CRITICAL

OBSERVED: some kitchen floor spots where epoxy finish has come off and needs resealing/patching

NON-CRITICAL

OBSERVED: basement restroom air vents are soiled with dust

NON-CRITICAL

**BARNES AND NOBLE CAFE**  
**3535 MISSOURI BLVD STE 101**  
**JEFFERSON CITY, MO 65109**

ROUTINE Occurred  
 INSPECTION 02/24/16  
 0

Description

Status

No Violations Cited

**SUBWAY CAPITAL MALL #15307**  
**3600 COUNTRY CLUB DR STE 216**  
**JEFFERSON CITY, MO 65109**

ROUTINE Occurred  
 INSPECTION 02/19/16

Description

Status

OBSERVED: Light in the Walk In Freezer was not operational.

NON-CRITICAL

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

**SUBWAY SANDWICH SHOP****724 W STADIUM BLVD****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE

02/04/16

INSPECTION

Description

Description

Status

OBSERVED: Fan cover in the walk in cooler had dust accumulation. NON-CRITICAL

**SUBWAY SUPERCENTER****401 SUPERCENTER DR****JEFFERSON CITY, MO 65101**

Occurred

ROUTINE

02/23/16

INSPECTION

Description

Status

OBSERVED: Soda machine had splatter and debris present NON-CRITICAL

OBSERVED: Fan cover in the walk in cooler had dust accumulation NON-CRITICAL

OBSERVED: Cutting boards on the make table have grooves and cuts in them. NON-CRITICAL

**TACO BELL #382****2605 MISSOURI BLVD****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE

02/10/16

INSPECTION

Description

Status

OBSERVED: Shelf for the shells on the back up line had food debris present NON-CRITICAL

OBSERVED: Lobby soda machine had soda debris and splatter present

**WEBER MEAT MARKET****1708 MISSOURI BLVD****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE

02/03/16

INSPECTION

Description

Status

OBSERVED: some unprotected bulbs present in part of service case NON-CRITICAL

OBSERVED: walk in cooler floor is deteriorating, pitting with missing ends NON-CRITICAL

OBSERVED: deteriorated wall panel and loose caulking present around triple sink

**YO YUMS****122 E HIGH ST X****JEFFERSON CITY, MO 65101**

Occurred

ROUTINE

02/24/16

INSPECTION

0

Description

Status

No Violations Cited

**SCHULTES FRESH FOODS--DELI****1904 SOUTHWEST BLVD****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE

02/24/16

INSPECTION

Description

Status

OBSERVED: meats and egg from salad bar above required 41 F but below 45 F, displayed in plastic containers not metal NON-CRITICAL

OBSERVED: worn, missing epoxy flooring behind the fryers and grill; some previously patched spots around sinks and cooks area are depressed and should be filled in NON-CRITICAL

**SHOW ME CHILD CARE CENTER FOOD SERVICE****2702 E MCCARTY ST****JEFFERSON CITY, MO 65101**

Occurred

ROUTINE

02/17/16

INSPECTION

0

Description

Status

No Violations Cited

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

**SCHNUCKS-GROCERY**  
**1801 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE 02/25/16  
 INSPECTION

Description

Description

Status

OBSERVED: frozen turkey in boxes stored on floor in meat freezer. NON-CRITICAL

**SCHNUCKS-BAKERY**  
**1801 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE 02/02/16  
 INSPECTION

Description

Status

OBSERVED: cake decorating sprinkles accumulation in corner by front service counter. NON-CRITICAL

OBSERVED: employee coats stored on single service items storage shelves. NON-CRITICAL

**SCHULTES FRESH FOODS--PRODUCE**  
**1904 SOUTHWEST BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE 02/08/16  
 INSPECTION  
 0

Description

Status

No Violations Cited

**GERBES #118 SUPERSTORE--MEAT**  
**2101 SCHOTTHILL WOODS DR**  
**JEFFERSON CITY, MO 65101**

ROUTINE 02/09/16  
 INSPECTION

Description

Status

OBSERVED: cut room ceiling has peeling paint present in spots; some light fixture ends appeared stained or soiled NON-CRITICAL

**GERBES #118 SUPERSTORE--SEAFOOD**  
**2101 SCHOTTHILL WOODS DR**  
**JEFFERSON CITY, MO 65101**

ROUTINE 02/09/16  
 INSPECTION

Description

Status

OBSERVED: loose drywall compound and paint surrounding air vent above ice maker NON-CRITICAL

OBSERVED: loose FRP wall panel where ice maker shovel is stored

**MOSERS DISCOUNT FOODS--MEAT**  
**2411 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE 02/19/16  
 INSPECTION  
 0

Description

Status

No Violations Cited

**MOSERS DISCOUNT FOODS--PRODUCE**  
**2411 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE 02/22/16  
 INSPECTION  
 0

Description

Status

No Violations Cited

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
<b>YANIS COFFEE ZONE</b>			
<b>130 E HIGH ST</b>			
<b>JEFFERSON CITY, MO 65101</b>			
ROUTINE INSPECTION	Occurred 02/03/16	Description	Status
0		No Violations Cited	
<b>HYVEE GROCERY STORE-MEAT</b>			
<b>3721 W TRUMAN BLVD</b>			
<b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 02/17/16	Description	Status
0		No Violations Cited	
<b>HYVEE FOOD STORE-CHINESE DELI</b>			
<b>3721 W TRUMAN BLVD</b>			
<b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 02/12/16	Description	Status
		OBSERVED: Vent hood has grease and debris present	NON-CRITICAL
		**** Manager stated the hood would be cleaned on Sunday ****	
<b>HYVEE FOOD STORE-ITALIAN DELI</b>			
<b>3721 W TRUMAN BLVD</b>			
<b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 02/12/16	Description	Status
		OBSERVED: Fan covers in the walk in cooler have dust accumulation	NON-CRITICAL
<b>COLE EAST HEAD START</b>			
<b>605 CHERRY ST</b>			
<b>JEFFERSON CITY, MO 65101</b>			
ROUTINE INSPECTION	Occurred 02/05/16	Description	Status
		OBSERVED: Dishwasher was not reaching the correct temperature for sanitizing.	CRITICAL
FOLLOW-UP INSPECTION	Occurred 02/18/16	Description	Status
0		No Violations Cited	
<b>COURTYARD EARLY LEARNING CENTER</b>			
<b>1302 CREEK TRAIL DR</b>			
<b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 02/01/16	Description	Status
		OBSERVED: Dishwasher sanitizer was not at the correct concentration.	CRITICAL
FOLLOW-UP INSPECTION	Occurred 02/02/16	Description	Status
0		** Provider stated she would call repair company today to have looked at***	
		No Violations Cited	



**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	Description	Status
<b>SAINT MARY'S HOSPITAL</b> 2505 MISSION DR JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 02/25/16	
	Observed: Vents over the grill had debris present Observed: Vents over the soup had debris present Observed: Debris in the bottom of the Proofer	NON-CRITICAL
<b>SENIOR CENTER AT THE MALL</b> 3600 COUNTRY CLUB DR STE JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 02/25/16	
0	No Violations Cited	
<b>EAGLES CLUB</b> 1411 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 02/24/16	
	Observed: base metal strip [coved base] around walk in cooler is deteriorating and pitted with holes present, repair or replace as needed	NON-CRITICAL
<b>MOCHAS</b> 422 MONROE ST JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred 02/03/16	
0	No Violations Cited	
<b>RED TAIL LOUNGE LLC</b> 623 E HIGH ST JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred 02/29/16	
	Observed: currently no soap, rinse aid, nor sanitizer present in dish machine during testing	CRITICAL
<b>SAM'S CLUB #6505-GROCERY</b> 849 STONERIDGE PKWY JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 02/02/16	
0	No Violations Cited	
<b>SAM'S CLUB #6505-BAKERY</b> 849 STONERIDGE PKWY JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 02/29/16	
	Observed: A turn table had icing debris present.	NON-CRITICAL
<b>RED SKY RESTAURANT</b> 112 E DUNKLIN ST JEFFERSON CITY, MO 65101		
FOLLOW-UP INSPECTION	Occurred 02/10/16	
0	No Violations Cited	

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

**CURRY HOUSE**  
**2403 MISSOURI BLVD**  
**JEFFERSON CITY, MO**

65109

Occurred

ROUTINE

02/03/16

INSPECTION

Description

Description

Status

OBSERVED: Vent hood has accumulation of dust and grease.

NON-CRITICAL

\*\*\*Owner stated he will be cleaning on Sunday\*\*\*\*

OBSERVED: Soup spoons stored at the soup bar were not stored properly.

NON-CRITICAL

\*\* Please stored with handles up\*\*

**BURGER KING**  
**1923 CHRISTY DR**  
**JEFFERSON CITY, MO**

65101

Occurred

ROUTINE

02/08/16

INSPECTION

Description

Status

OBSERVED: Vent hood had grease debris present.

CRITICAL

OBSERVED: Bottom of fry freezer had debris present.

NON-CRITICAL

Description

Status

FOLLOW-UP

Occurred

02/17/16

INSPECTION

0

No Violations Cited